



1FW

PTO/SB/83 (01-06)

Approved for use through 12/31/2008. OMB 0651-0035

U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**REQUEST FOR WITHDRAWAL
AS ATTORNEY OR AGENT
AND CHANGE OF
CORRESPONDENCE ADDRESS**

Application Number	10/620,283
Filing Date	07/15/2003
First Named Inventor	Kelvin Todd Evans
Art Unit	3679
Examiner Name	James M. Hewitt
Attorney Docket Number	15072.9A

To: Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Please withdraw me as attorney or agent for the above identified patent application, and

- ☒ all the attorneys/agents of record.
- ☐ the attorneys/agents (with registration numbers) listed on the attached paper(s), or
- ☐ the attorneys/agents associated with Customer Number

NOTE: This box can only be checked when the power of attorney of record in the application is to all the practitioners associated with a customer number.

The reasons for this request are:

CORRESPONDENCE ADDRESS

1. ☐ The correspondence address is NOT affected by this withdrawal.
2. ☒ Change the correspondence address and direct all future correspondence to:

- ☒ The address associated with Customer Number:

OR

<input checked="" type="checkbox"/>	Firm or Individual Name	Dixie Septic Tank, Inc. of Orange City				
Address		1200 S. Leavitt Avenue P.O. Box 740557				
City		Orange City	State	FL	Zip	32763
Country		U.S.				
Telephone				Email		
Signature						
Name		Carl M. Napolitano		Registration No.	37,405	
Date		4/7/06		Telephone No.	(407) 841-2330	

NOTE: Withdrawal is effective when approved rather than when received. Unless there are at least 30 days between approval of withdrawal and the expiration date of a time period for response or possible extension period, the request to withdraw is normally disapproved.

This collection of information is required by 37 CFR 1.36. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Case No. 15072.9A



THE COMMISSIONER OF PATENTS
AND TRADEMARKS
P.O. Box 1450
Alexandria, VA 22313-1450

Transmitted herewith for filing in the patent application of:


Inventors: Kelvin Todd Evans
For: Septic Tank Drain Field Pipe Manifold System and Method of Use
Serial No. 10/620,283
Filed: July 15, 2003
Issued: April 4, 2006
U.S. Patent No.: 7,021,671

Enclosed are:

☒ Request for Withdrawal as Attorney or Agent and Change of Correspondence Address

☒ The Commissioner is authorized to charge or credit any discrepancies in fee amounts to Deposit Account No. 01-0484.

April 7, 2006
Date


Carl M. Napolitano, Ph.D.
Reg. No. 37,405
ALLEN, DYER, DOPPELT, MILBRATH & GILCHRIST
255 South Orange Avenue - Suite 1401
P. O. Box 3791
Orlando, Florida 32802-3791
PHONE: (407) 841-2330

Allen, Dyer, Doppelt, Milbrath & Gilchrist, P.A.
Attorneys-At-Law, 255 S. Orange Avenue, Suite 1401, P.O. Box 3791, Orlando, Florida 32802-3791